




28 Hastings 3x3

| Thickness | Project name: | Project ID: | Year: | Page: |
|-----------|---------------|-------------|-------|-------|
| 28 | Hastings 3x3 | | 2021 | 1 |





Ground floor plan

1:40



1:40







| Thickness: | Project name: | Project ID: | Year: | Page: |
|------------|---------------|-------------|-------|-------|
| 28 | Hastings 3x3 | | 2021 | 2 |


Skinners Sheds[®] Created by Nature - Built by Hand - Established in 1979

Decorative boards

1:20







Note: Firstly install door frame. Then screw 40x19 beams on walls. After beams are fixed n walls, install decorative boards on them.

| Thickness: | Project name: | Project ID: | Year: | Page: |
|------------|---------------|-------------|-------|-------|
| 28 | Hastings 3x3 | | 2021 | 3 |


Skinners Sheds[®]


Created by Nature - Built by Hand - Established in 1979


Wall A 1:40


Wall C

1:40











| Thickness: | Project name: | Project ID: | Year: | Page: |
|------------|---------------|-------------|-------|-------|
| 28 | Hastings 3x3 | | 2021 | 4 |




Storm braces



Skinners Sheds
Created by Nature - Built by Hand - Established in 1979

Roof boards

1:30




| | 4 3303 | -2 3122 -3 2952 -3 2952 | -4 2782 | -5 2613 | -6 2443 | -7 2273 | -8 2103 | -9 1933 |
|-------------------------|--------|-------------------------------|---------|---------|---------|---------|---------|---------|
| | α | | RB | RB | RB-6 | RB | KB | RB |
| 2nd log from the ground | | | | | | V | | |

| Thickness: | Project name: | Project ID: | Year: | Page: |
|------------|---------------|-------------|-------|-------|
| 28 | Hastings 3x3 | | 2021 | 6 |





| | 28mm Ha | astings 3 | x3 windows and | d doors li | st |
|---------------------|-------------|--------------|--|--------------|---------------|
| Type- quality | W x H Size | Orient ation | Glazing | Quanti ty | 3D Axonometry |
| Door - Economy | 1 400×1 850 | R | 50% glass, single glazed, safety (toughened) glass | 1 | |
| Window - Economy | 700×920 | L | Single glazed, safety (toughened) glass | 1 | |
| Window - Economy | 700×920 | R | Single glazed, safety (toughened) glass | 1 | |

| [| Thickness: | Project name: | Project ID: | Year: | Page: |
|---|------------|---------------|-------------|-------|-------|
| | 28 | Hastings 3x3 | | 2021 | 7 |









| Thickness: | Project name: | Project ID: | Year: | Page: |
|------------|---------------|-------------|-------|-------|
| 28 | Hastings 3x3 | | 2021 | 8 |